



BDVACM-200

VERTICAL AIR CURTAIN MERCHANDISERS

- Brilliant internal LED illumination on each shelf helps drive impulse sales
- Stainless steel construction with safety glass on sides
- Digital temperature controller and display
- Stainless steel shelves
- Night curtain
- Ventilated cooling system
- Automatic defrost
- 4 casters (two with brakes)
- Stainless steel exterior also available
- 110V



	W x D x H	Shelves
BDVACM-200	36½" x 25" x 49¼"	2
BDVACM-220	19" x 26½" x 68¾"	3
BDVACM-250	24" x 29¾" x 67"	3



OPEN AIR MERCHANDISERS

- Large, open front allows easy access to display levels and places maximum attention on merchandising
- Exterior: non-peel or chip black powder-coated cold rolled steel; durable and permanent
- Interior: attractive, white aluminum liner, stainless steel floor and deck pans
- Self-cleaning RCU technology eliminates the need to clean the condenser coil, reduces energy consumption and helps maintain the coldest temperatures and freshest product
- Oversized and balanced refrigeration system holds 33° to 40°F
- LED lighting
- Environmentally friendly R290 hydro carbon refrigerant
- 5-year labor, 6-year parts, 7-year compressor warranty



Solid Sides	Width	Shelves	HP
TOAM-30-HC-TSL01	30"	4	¾
TOAM-48-HC-TSL01	48"	4	(2) ¾
Glass Sides			
TOAM-36GS-HC-TSL01	36"	4	¾
TOAM-72GS-HC-TSL01	72"	8	(3) ¾



TOAM-30-HC-TSL01



TOAM-72GS-HC-TSL01



USF168D



USF54S

WINE SERVING & AGING CABINETS

- Black finish, stainless steel door frame
- Beechwood shelves
- Multi-function digital temp. controls
- Temperature ranges: Single Zone(S) 41° to 64.4°F, Dual Zone(D) upper zone: 41° to 50°F, lower zone: 50° to 64.4°F
- Thermostatic cabinet
- Fan forced evaporator cooling
- 24" wide
- 110V
- 1-year parts & labor and 3-year compressor warranty

Keep both red and white wines at optimal temperatures

	Type	H x D	Bottle Shelves	Capacity†
USF54D	Dual	34½" x 23½"	6	46
USF54S	Single	36" x 24"	6	57
USF168D	Dual	71½" x 27"	14	154
USF168S	Single	71½" x 27"	15	165

†Capacities listed for standard bottle size

REFRIGERATION EQUIPMENT



MCF8727GR

GLASS DOOR MERCHANDISERS

- Black steel exterior with stainless steel interior
- Lighted header panel
- LED interior lighting
- Electronic temperature controller
- Double pane glass doors
- Self-closing door with automatic stay open feature
- Recessed door handle
- Magnetic door gasket
- Environmentally friendly R290 refrigerant
- 2" casters
- 2-year parts & labor warranty, 5-year compressor part warranty, with option to purchase up to 5-year parts & labor warranty



Refrigerators	Width	Front	Shelves	Cu Ft
MCF8726GR*	24½"	1	3	8.3
MCF8725GR*	24½"	1	4	11.1
MCF8722GR*	27"	1	4	19.39
MCF8733GR	39½"	2	8	28.5
MCF8723GR*	54¾"	2	8	43.8
MCF8727GR†	54½"	2	8	44.9
MCF8724GR	81¼"	3	12	69.5
Freezers				
MCF8720GR	27"	1	4	19.4
MCF8732GR	39½"	2	8	28.5
MCF8721ES*	54½"	2	8	43.8
MCF8728GR	81¼"	3	12	68

†Sliding Doors *ENERGY STAR®



OPEN AIR MERCHANDISERS

- Black exterior & stainless steel interior
- Four shelves
- Electronic temperature controller
- LED lighted header panel
- LED lighting on each shelf and interior top
- Night curtain standard
- Pre-installed 4" casters
- 28"d x 78¼"h
- 2-year parts & labor, 5-year compressor part warranty, with option to purchase up to 5-year parts & labor warranty



AOM-40B 39½"w, 14.4 cu ft
AOM-50B 51½"w, 16.5 cu ft



AOM-40B

GRINDMASTER

COUNTERTOP DISPLAY REFRIGERATOR

- Black powder coated exterior
- Adjustable thermostat, can be set between 34° and 45°F
- Energy efficient double pane thermal glass door with strong magnetic gasket
- Adjustable PVC coated wire shelves
- Secure built-in door
- LED lighting
- Lockable door
- 2-year parts, 1-year labor & 5-year compressor warranty

Bright interior lighting for impulse sales

CTR3.75 (5) shelves, 3.8 cu ft, 19"w x 18¾"d x 33¾"h



BAKERY MERCHANDISERS

- Curved glass front and side panels are single-pane tempered glass
- LED interior lighting, safety shielded
- 150 lb capacity per shelf
- Electronic temperature control
- Refrigerated and dual-zone models maintain temperatures of 33° to 41°F
- Various exterior colors and interior finishes available on TDM models
- 5-year labor, 6-year parts, 7-year compressor warranty
- 39"d x 49½"h
- 115V



Refrigerated	Type	Width	Shelves	HP	Exterior
TDM-R-36-GE/GE-B-W	Glass Ends	36¼"	3	¼	Black
TGM-R-48-SC/SC-B-W	Solid Ends	48¼"	6	½	Black
Dry					
TDM-DC-59-GE/GE-S-W	Glass Ends	59¼"	3	-	Stainless Steel
TGM-DC-59-SC/SC-W-W*	Solid Ends	59¼"	6	-	White
Dual-Zone					
TDM-DZ-77-GE/GE-W-W	Glass Ends	77¼"	6	¼	White
TGM-DZ-77-SC/SC-S-S*	Solid Ends	77¼"	6	¼	Stainless Steel

* Not CE



TDM-R-36-GE/GE-B-W



GDM-49-HC-TSL01

GLASS DOOR MERCHANDISERS

- Natural refrigerant
- Holds 33° to 38°F
- Positive seal self-closing doors
- No stoop bottom shelf
- Exterior - non-peel or chip black powder coated, cold rolled steel; durable and permanent
- Double pane thermal insulated glass
- Interior with NSF approved white aluminum interior liner and stainless steel floor

- Self-contained system, no plumbing required
- Bottom mount heavy-duty compressor
- Standard in Black - also available in White or Stainless Steel
- 115V
- 5-year labor, 6-year parts, 7-year compressor warranty



	W x D x H	Doors	Shelves
GDM-23-HC-TSL01†	27" x 29⅞" x 78⅝"	1	4
GDM-49-HC-TSL01	54⅞" x 29⅞" x 78⅝"	2	8
GDM-72-HC-TSL01	78⅞" x 29⅞" x 78⅝"	3	12

†CE



Admiral Craft
Equipment Corp.



U-STAR GLASS DOOR MERCHANDISERS

- Black-coated steel exterior
- Painted aluminum interior with stainless steel floor
- Self-closing door
- Foamed-in-place polyurethane high density cell insulation throughout the entire cabinet
- Illuminated bright interior lights for greater visibility
- Front mounted LED temperature display
- Automatic defrosting
- Removable door gasket for easy cleaning
- Plastic coated shelves included
- 1-year parts & labor, 5-year warranty on compressor
- 32"d x 80"h



	Width	Doors	Shelves	HP
USRFS-1D/B	28"	1	4	⅓
USRFS-2D/B	53"	2	8	¼





MBF8002GR



MBF8010GR



TOP MOUNT REACH-INS

- Top mount compressor with environmentally friendly R290 refrigerant
- Stainless steel exterior & interior
- Dixell digital controller
- LED interior lighting
- Recessed door handle(s)
- Door lock(s) standard
- Magnetic door gasket(s) standard for positive door seal
- Pre-installed casters
- Down duct refrigeration to ensure even distribution of air
- 31 $\frac{1}{16}$ "d x 81 $\frac{3}{16}$ "h
- 2-year parts and labor, 5-year compressor part warranty with option to purchase up to 5-years parts and labor warranty

MFG #	Doors/Shelves	Width	HP
Full-Door Freezers			
MBF8001GR	1/3	28 $\frac{7}{16}$ "	$\frac{1}{2}$
MBF8002GR	2/6	51 $\frac{1}{16}$ "	$\frac{3}{4}$
MBF8003GR	3/9	77 $\frac{1}{2}$ "	1
Full-Door Refrigerators			
MBF8004GR	1/3	28 $\frac{7}{16}$ "	$\frac{1}{2}$
MBF8005GR	2/6	51 $\frac{1}{16}$ "	$\frac{1}{2}$
MBF8006GR	3/9	77 $\frac{1}{2}$ "	$\frac{1}{4}$
Half-Door Refrigerator			
MBF8010GR*	2/6	28 $\frac{7}{16}$ "	$\frac{1}{2}$
Half-Door Freezer			
MBF8007GR*	2/6	28 $\frac{7}{16}$ "	$\frac{1}{2}$

* Add (L) for left-hinged door

REACH-INS

- Stainless steel front, aluminum end panels and interior
- Natural, R-290 refrigerant
- 3" CFC free polyurethane foam insulation
- Heavy-duty, epoxy-coated steel shelves
- Expansion valve system
- Santoprene magnetic snap-in door gasket
- LED interior lighting
- Self-closing doors
- 5" casters
- 35 $\frac{3}{8}$ "d x 82 $\frac{1}{4}$ "h



Refrigerators	Width	Doors/Shelves	HP
1RN	26"	1/3	$\frac{1}{4}$ +
2RN	52"	2/6	$\frac{1}{3}$ +
3RN	78"	3/9	$\frac{1}{2}$
Freezers			
1FN	26"	1/3	$\frac{1}{2}$
2FN	52"	2/6	$\frac{1}{2}$
3FN	78"	3/9	$\frac{3}{4}$

Continental
Refrigerator



1FN



2FN

LED interior lighting



GRISTA BOTTOM-MOUNT REACH-INS

- Easy-to-clean 430 series stainless steel exterior
- Painted white aluminum interior
- Digital temperature control ranges 33° to 40°F in refrigerators and -7° to 0°F in freezers
- 3 epoxy-coated corrosion resistant shelves with 90 lb capacity each
- Self-closing door with stay-open feature beyond 90°
- Pre-programmed digital control featuring auto defrost cycle
- Foamed-in-place insulation
- Eco-friendly R290 hydrocarbon refrigerant
- Ships complete with casters
- 1-year parts & labor, 5-year warranty on compressor
- 32"d x 82"h



Refrigerators	Width	Doors	Shelves	HP
GRRF-1D	29"	1	3	1/5
GRRF-2D	54"	2	6	1/4+
Freezers				
GRFZ-1D	29"	1	3	3/4
GRFZ-2D	54"	2	6	1



SPEC SERIES® REACH-INS

- Stainless steel door with matching aluminum sides
- Interior features aluminum side walls & back and stainless steel floor and ceiling
- 3 heavy-duty, PVC-coated wire shelves per section
- Natural refrigerant
- High capacity, factory balanced refrigeration system maintains cabinet temperatures of 33° to 38°F in refrigerators and -10°F in freezers for the best in food preservation
- Top-mounted refrigeration system with evaporator positioned out of food zone to maximize capacity

- Positive seal self-closing doors with 120° stay-open feature
- Entire cabinet structure and solid door are foamed-in-place using a high density, polyurethane insulation that has zero ozone depletion potential (ODP) and zero global warming potential (GWP)
- Exterior digital temperature display
- 33¾"d x 77¾"h
- 5-year labor, 6-year parts, 7-year compressor warranty
- STR and STA models also available

Refrigerators	Width	Doors	Shelves	HP
STG1R-1S-HC*	27½"	1	3	1/4
STG2R-2S-HC*	52¾"	2	6	1/2
Freezers				
STG1F-1S-HC	27½"	1	3	1/2
STG2F-2S-HC*	52¾"	2	6	1¼



True
REFRIGERATION

T-SERIES REACH-INS

- Bottom mount compressor
- Stainless steel doors and front
- Clear coated aluminum interior with stainless steel floor
- No stoop lower shelf
- Natural refrigerant
- Refrigerators hold 33° to 38°F, freezers hold -10°F
- Adjustable, heavy-duty PVC coated wire shelves

- Entire cabinet structure and solid door are foamed-in-place using a high density, polyurethane insulation that has zero ozone depletion potential (ODP) and zero global warming potential (GWP)
- Exterior temperature display
- 4" casters standard, legs available
- 29½"d x 78¾"h
- 5-year labor, 6-year parts, 7-year compressor warranty

Refrigerators	Width	Doors	Shelves	HP
T-23-HC†*	27"	1	3	1/4
T-49-HC*	54½"	2	6	1/2
T-72-HC	78½"	3	9	3/4
Freezers				
T-23F-HC†*	27"	1	3	1/2
T-49F-HC*	54½"	2	6	1
T-72F-HC	78½"	3	9	3/4

†CE *ENERGY STAR®





VALYR[™]
BY STRATA GPO

REFRIGERATION



Freezer, Reach-In,
2-door, 48cuft
VALFZ-2D



Prep Table, Salad,
2-door, 47"w
VALSL-2D



Refrigerator, Merchandiser,
2-door, glass slide,
47cuft, Black
VALRFS-2D-B

Valyr Part #	Description
VALRFS-1D-B	Refrigerator, Merchandiser, 1-door, glass, 24cuft, Black
VALRFS-2D-B	Refrigerator, Merchandiser, 2-door, glass slide, 47cuft, Black
VALFZ-1D	Freezer, Reach-In, 1-door, 23cuft, Stainless Steel
VALFZ-2D	Freezer, Reach-In, 2-door, 48cuft, Stainless Steel
VALRF-1D	Refrigerator, Reach-In, 1-door, 23cuft, Stainless Steel
VALRF-2D	Refrigerator, Reach-In, 2-door, 48cuft, Stainless Steel
VALSL-2D	Prep Table, Salad, 2-door, 47"w, Stainless Steel
VALSLM-2D	Prep Table, Salad Mega, 2-door, 47"w, Stainless Steel

Discover the
Valyr difference:
Elevate Your Kitchen
with Uncompromised
Freshness & Efficiency!

www.valyr-equipment.com | Call Your Dealer for Pricing!





BCB 05US

eurodib

BLAST CHILLERS

- Incorporated condensing unit
- Simple and easy to use intuitive electronic control panel
- Either soft/hard chilling or freezing
- Automatic defrost system with pause
- Uses R449A refrigerant (BCB 05US uses R404A)
- 1-year parts & labor warranty



BCC 4008

Reach-In	Pan Capacity	W x D x H
BCB 05US	5	34 $\frac{3}{4}$ " x 34" x 37 $\frac{1}{4}$ "
BCB 10US	10	34" x 34" x 61 $\frac{1}{2}$ "
BCB 15US	15	34" x 34" x 75"
Roll-In	Max Trolley Size	
BCC 4008	23 $\frac{1}{2}$ "w x 31 $\frac{1}{2}$ "d x 73 $\frac{1}{2}$ "h	52" x 35" x 95 $\frac{1}{4}$ "



Stainless steel front and sides

BOTTOM MOUNT REACH-INS

- White aluminum interior with stainless steel floor with coved corners
- CFC free refrigerant - R290
- Self closing doors remain open at 90°
- Energy saving vaulted door liner
- Casters, 2 locking
- 32 $\frac{3}{4}$ "d x 82 $\frac{3}{4}$ "h
- 2-year parts/labor warranty, 5-year compressor warranty



AR23



Refrigerators, 33° to 41°F	Doors/Shelves	Cu Ft	Width	HP
AR23	1/3	23	26 $\frac{3}{4}$ "	$\frac{3}{8}$
AR49	2/6	49	54"	$\frac{1}{2}$
Freezers, -10° to 10°F				
AF23	1/3	23	26 $\frac{3}{4}$ "	$\frac{5}{8}$
AF49	2/6	49	54"	1

MAXX COLD



MXCR-49FD

REACH-INS

- Stainless steel exterior and interior floor
- CFC free polyurethane foam insulation
- Heavy-duty, adjustable, PE-coated wire shelves included
- Door locks and swivel casters come standard
- Utilizes environmentally friendly CFC free refrigerant: Refrigerators R134a, Freezers R404A
- Digitally controlled temperature system and LED display
- Holding temperatures: Refrigerators 33° to 41°F, Freezers -10° to 10°F
- Self contained system
- Recessed handles



Refrigerators	Freezers	Width	Doors	Cu Ft	Shelves
MXCR-23FD	MXCF-23FD	26.8"	1	23	3
MXCR-49FD	MXCF-49FD	53.9"	2	49	6
MXCR-72FDHC	MXCF-72FDHC	81"	3	72	9

ALLPOINTS
FOODSERVICE PARTS ADVANTAGE

SHELF/DRAWER REPLACEMENT PARTS



23-202	Shelf Support, Zinc	
26-1878	Shelf Support, Stainless Steel	26-3970
26-3970	Shelf Support, Pilaster Clip	
26-2635	Drawer Slide Roller w/Screw, Stainless Steel	



HURRICHILL™ COMPACT BLAST CHILLER/SHOCK FREEZERS

- Constructed of polished stainless steel
- Completely self contained and ready for plug and play operation, all while staying environmentally friendly with R290 refrigerant
- Chilling (soft or hard) lowers the food core temperature from 160° to 38°F within 105 minutes
- Freezing (hard) lowers the food core temperature from 160° to 0°F within 4 hours
- Holds 12" x 20" x 2½" pans
- Easy to use and read solid state electronic control panel
- Evaporator temperature range is 25° to -40°F

AP3BCF30-1-P 3 Pan Slides, 25½"w x 25⅞"d x 36"h
AP5BCF45-2-P 5 Pan Slides, 29½"w x 28½"d x 35⅞"h



AP3BCF30-1-P



AP5BCF45-2-P



7" glove-safe capacitive touchscreen



AP7BCF70-2-C



AP12BCF110-3



AP20BCF200-3-XL

HURRICHILL™ BLAST CHILLER/SHOCK FREEZERS

- Constructed of polished stainless steel
- Completely self contained and ready for plug and play operation
- Blast chilling (soft or hard) lowers the food core temperature from 160° to 38°F within 90 minutes
- Shock freezing lowers the food core temperature from 160° to 0°F within 4 hours
- Easy to use and train on 7" touchscreen controller with one button operation
- Wash-down type motorized impeller fans with sealed ball bearing and overload protection
- Hinged swing out vent panel for easy evaporator cleaning
- Worktop and Upright models hold 12" x 20" x 2½" pans or 18" x 26" sheet pans

AP7BCF70-2-C Worktop, 7 Pan Slides, 32¼"w x 36"d x 53"h
AP12BCF110-3 Upright, 12 Pan Slides, 32⅝"w x 41⅞"d x 75"h
AP20BCF200-3-XL Modular Roll-In, Holds (1) 32"w x 40"d x 73"h Rack (sold separately)





MGF8402GR



MGF8415GR

UNDERCOUNTER UNITS

- Stainless steel exterior and interior with reinforced stainless steel top
- Electronic temperature controller
- Recessed door handle
- Self-closing door with stay open feature
- Magnetic door gasket
- Environmentally friendly R290 refrigerant
- Pre-installed 2" casters (Drawer-front model has 3" casters)
- 2-year parts and labor warranty, 5-year compressor part warranty, with option to purchase up to 5-year parts & labor warranty



Refrigerators	Width	Front	Shelves	Cu Ft
MGF24RGR†	27"	1 Door	2	4.8
MGF8401GR†*	27"	1 Door	1	7.15
MGF8415GR	27"	2 Drawers	—	7.15
MGF36RGR	36 ⁵ / ₁₆ "	2 Doors	2	8.7
MGF8402GR*	48"	2 Doors	2	13.38
MGF8403GR*	60 ¹ / ₂ "	2 Doors	2	17.1
MGF8404GR*	72 ¹ / ₁₀ "	3 Doors	3	21.1
Freezers				
MGF24FGR†	23 ¹³ / ₁₆ "	1 Door	2	4.8
MGF8405GR†	27"	1 Door	1	7.2
MGF36FGR	36"	2 Doors	2	8.7
MGF8406GR	48"	2 Doors	2	13.4
MGF8407GR	60 ¹ / ₂ "	2 Doors	2	17.2

†Add (L) for left-hinged door *ENERGY STAR®

WORKTOP UNITS WITH BACKSPLASH



- Stainless steel exterior & interior with reinforced stainless steel top with foamed-in-place backsplash
- Environmentally friendly R290 refrigerant
- Dixell digital controller
- Recessed door handles
- Self-closing doors with stay open feature
- Magnetic door gaskets standard for positive door seal
- Pre-installed casters
- One pre-installed shelf per section
- 30"d x 39¹/₂"h
- 2-year parts & labor, 5-year compressor warranty, option to purchase full 5-year parts and labor warranty

Refrigerators	Width	Doors	Shelves	Cu Ft
MGF8408GR	27 ¹ / ₂ "	1	1	7.2
MGF8409GR	48 ³ / ₁₀ "	2	2	13.4
MGF8410GR	60 ¹ / ₂ "	2	2	17.2
Freezers				
MGF8412GR	27 ¹ / ₂ "	1	1	7.2
MGF8413GR	48 ³ / ₁₀ "	2	2	13.4



MGF8409GR



REFRIGERATED EQUIPMENT STANDS

- Heavy-duty bracing throughout
- Self-contained unit with balanced refrigeration system
- Self-closing drawers include 2 removable 12" x 20" x 4" deep polycarbonate pans
- 6" high removable legs

	Width	Drawers
3054-SR	54"	2
3076-SR	76"	4
3002-SR	102"	6



3076-SR
Shown with
optional casters

REFRIGERATION EQUIPMENT



D36GN

Continental
Refrigerator

GRIDDLE STAND REFRIGERATORS & FREEZERS

- Stainless steel interior and exterior
- Natural, environmentally-safe, high-efficiency R-290 refrigerant
- High density, non-CFC polyurethane foam insulation
- Heavy-duty drawer track with built-in safety clips holds up to 250 lb
- 60"-108" models include an expansion valve for quick recovery
- 4" casters with support plates
- Pan capacities given for 12" x 20" x 6"d pans
- 35 $\frac{3}{16}$ "d x 26 $\frac{3}{8}$ "h
- 115V
- Made in the USA



Refrigerators	Width	Pan Capacity	Drawers	HP
D36GN	36"	2*	2	$\frac{1}{5}$
D48GN	48"	4	2	$\frac{1}{5}$
D60GN	60"	6	2	$\frac{1}{4}$ +
D72GN	72"	6*	4	$\frac{1}{4}$ +
D84GN	84"	8	4	$\frac{1}{4}$ +
D96GN	96"	10	4	$\frac{1}{4}$ +
D108GN	108"	12	6	$\frac{1}{4}$ +
Freezers				
D48GFN	48"	4	2	$\frac{1}{4}$
D60GFN	60"	6	2	$\frac{1}{3}$
D72GFN	72"	6*	4	$\frac{1}{3}$
D84GFN	84"	8	4	$\frac{1}{2}$

* Also holds (2) 6" x 20" x 6"d pans

WORKTOP REFRIGERATORS

- Stainless steel top, front and end panels
- Natural, environmentally-safe, high-efficiency R290 refrigerant
- Automatic, hot gas condensate evaporator
- Non-corrosive, plasticized fin evaporator coil
- Spring loaded, self-closing doors
- 2" non-CFC polyurethane foam insulation
- Completely enclosed, vented and removable case back
- Easily serviceable back mounted compressor
- 5" casters
- 32 $\frac{3}{16}$ "d x 35 $\frac{1}{4}$ "h
- Made in the USA

**Heavy-duty,
epoxy-coated
steel shelves**



SW48N



	Width	Doors	Shelves	HP
SW27N	27 $\frac{1}{2}$ "	1	1	$\frac{1}{5}$
SW48N	48"	2	2	$\frac{1}{5}$
SW60N	60"	2	2	$\frac{1}{5}$
SW72N	72"	3	3	$\frac{1}{5}$

UNDERCOUNTER UNITS

- All stainless steel front, top and sides
- Natural refrigerant
- Adjustable, heavy-duty PVC coated wire shelves
- Self-contained system
- Refrigerators hold 33° to 38°F, freezers hold -10°F
- Foamed-in-place high density polyurethane insulation (CFC free)
- 5" swivel casters standard – legs available
- 30 $\frac{3}{8}$ "d x 29 $\frac{3}{4}$ "h (height does not include 6 $\frac{1}{4}$ " for casters or 6" for optional legs)
- 115V
- 5-year labor, 6-year parts, 7-year compressor warranty

True
REFRIGERATION

MADE WITH
INNOVATION
IN THE USA



Refrigerators	Width	Doors	Shelves
TUC-27-HC	27 $\frac{3}{8}$ "	1	2
TUC-48-HC	48 $\frac{3}{8}$ "	2	4
Freezers			
TUC-27F-HC	27 $\frac{3}{8}$ "	1	2
TUC-48F-HC	48 $\frac{3}{8}$ "	2	4





REFRIGERATED CHEF BASES

- Stainless steel front, sides and top
- Stainless steel drawer facings, linings and frames
- Electronic thermostat with external digital LED display
- 6" deep pans in both the top and lower drawers
- Full perimeter marine edge top that is extended to avoid canting cooking equipment
- Casters, 2 locking
- 32" d x 26" h
- 1/3 hp
- 2-year parts & labor warranty and 5-year compressor warranty

	Drawers	Width
ARCB36	2	38"
ARCB48	2	50"
ARCB60	2	62"
ARCB72	4	74"



ARCB48



CHEF BASE REFRIGERATORS

- Factory engineered, self-contained, capillary tube system using environmentally friendly R290 hydrocarbon refrigerant that has zero (0) ozone depletion potential (ODP), & 0.02 global warming potential (GWP)
- Drawer fronts are stainless steel with recessed handles
- Drawers hold 2 to 3 pans depending on model
- Foamed-in-place polyurethane high density cell insulation
- 4" plate casters
- Exterior mounted digital temperature display
- Height does not include 5" for casters or 6" for optional legs
- 5-year labor, 6-year parts, 7-year compressor warranty

	W x D x H	Drawers
TRCB-36-HC	36 3/8" x 20 1/2" x 20 3/8"	2
TRCB-52-HC	51 1/8" x 20 1/2" x 20 3/8"	2
TRCB-72-HC	72 3/8" x 20 1/2" x 20 3/8"	4



MEGA TOP FOOD PREP TABLES

- All stainless steel front, top and sides, corrosion-resistant GalFan coated steel back; removable lid and hood
- Mega top units feature an extra-deep cutting board
- Environmentally friendly (R513A), patented forced-air refrigeration system holds 33° to 41°F
- 1/2 size, 4" deep polycarbonate food pans and 8" deep, 1/2" thick, removable cutting board included
- 2 1/2" casters
- 5-year labor, 6-year parts, 7-year compressor warranty
- 31 1/2" d x 45 3/4" h

	Width	Base	Shelves	Pan Capacity
TFP-32-12M	32 1/8"	1 Door	2	12
TFP-48-18M	48 1/8"	2 Doors	4	18
TFP-32-12M-D-2	32 1/8"	2 Drawers	-	12



TFP-32-12M-D-2

TFP-32-12M





REFRIGERATED CHEF BASES

- Stainless steel construction with one-piece, heavy-duty reinforced top to support countertop equipment
- Stainless steel pans included
- Electronic temperature controller
- Maintains temperatures between 34° to 40°F
- Heavy-duty compressor with environmentally friendly R290 refrigerant
- Heavy-duty stainless steel drawer slides and rollers
- Magnetic drawer gaskets
- Gravity fed self closing drawers
- Pre-installed casters
- 33"d x 26 $\frac{3}{8}$ "h
- 2-year parts & labor warranty, 5-year compressor warranty, with option to purchase up to 5-year parts & labor warranty



	Width	12" x 20" Pan Capacity	Drawers
MGF8448GR	36"	2*	2
MGF8450GR	48"	4*	2
MGF8451GR	52"	6	2
MGF8452GR	60"	6	2
MGF8453GR	72"	8	4
MGF8454GR	76"	8	4

*Also fits (6) $\frac{1}{2}$ -size pans

Stainless steel pans included



MGF8450GR

SANDWICH UNIT REFRIGERATORS

- Stainless steel top, front and end panels, aluminum back and interior
- Natural, environmentally-safe, high-efficiency R290 refrigerant
- Unique air flow distribution
- Heavy-duty, epoxy-coated steel shelves
- Includes $\frac{1}{2}$ size 4" deep pans
- 5" casters
- 115V
- Standard models: 32 $\frac{3}{16}$ "d x 42 $\frac{1}{4}$ "h, Mighty Top models: 35"d x 42 $\frac{1}{4}$ "h (excludes 27" models)
- Made in the USA



SW36N10 12" deep, full length nylon cutting board



SW48N12M 8" deep, full length nylon cutting board



Continental
Refrigerator

Standard	Length	Doors	Shelves	Pan Capacity	HP	Mighty Top	Length	Doors	Shelves	Pan Capacity	HP
SW27N8	27 $\frac{1}{2}$ "	1	1	8	$\frac{1}{5}$	SW27N12M	27 $\frac{1}{2}$ "	1	1	12	$\frac{1}{5}$
SW32N8	32"	1	1	8	$\frac{1}{5}$	SW32N12M	32"	1	1	12	$\frac{1}{5}$
SW36N10	36"	2	2	10	$\frac{1}{5}$	SW36N15M	36"	2	2	15	$\frac{1}{5}$
SW48N8	48"	2	2	8	$\frac{1}{4}+$	SW48N12M	48"	2	2	12	$\frac{1}{4}+$
SW48N10	48"	2	2	10	$\frac{1}{4}+$	SW48N18M	48"	2	2	18	$\frac{1}{4}+$
SW48N12	48"	2	2	12	$\frac{1}{4}+$	SW60N12M	60"	2	2	12	$\frac{1}{3}+$
SW60N8	60"	2	2	8	$\frac{1}{3}+$	SW60N18M	60"	2	2	18	$\frac{1}{3}+$
SW60N12	60"	2	2	12	$\frac{1}{3}+$	SW60N24M	60"	2	2	24	$\frac{1}{3}+$
SW60N16	60"	2	2	16	$\frac{1}{3}+$	SW72N18M	72"	3	3	18	$\frac{1}{3}+$
SW72N12	72"	3	3	12	$\frac{1}{3}+$	SW72N27M	72"	3	3	27	$\frac{1}{3}+$
SW72N18	72"	3	3	18	$\frac{1}{3}+$	SW72N30M	72"	3	3	30	$\frac{1}{3}+$



SANDWICH PREP TABLES

- Stainless steel exterior and interior
- Environmentally friendly R290 refrigerant
- Electronic temperature controller
- Includes stainless steel food pans
- 10" poly cutting board (except MSF17GR-NTCV)
- Recessed door handle

- Self-closing door with stay open feature
- Magnetic door gasket
- Pre-installed casters
- 2-year parts & labor warranty, 5-year compressor part warranty, with option to purchase up to 5-year parts & labor warranty



MSF17GR-NTCV

MSF8302GR

	Width	Doors/Shelves	1/2 Pan Capacity	HP	Cu Ft
Slim, 41 $\frac{1}{8}$ "d x 36 $\frac{1}{16}$ "h					
MSF17GR-NTCV	17 $\frac{7}{8}$ "	1/2	8	$\frac{1}{8}$	3.7
Standard, 30"d x 44 $\frac{3}{16}$ "h					
MSF8301GR	27 $\frac{1}{2}$ "	1/1	12	$\frac{1}{8}$	7.2
MSF3610GR	36 $\frac{5}{16}$ "	2/2	10	$\frac{1}{8}$	8.7
MSF8302GR	48 $\frac{1}{8}$ "	2/2	12	$\frac{1}{8}$	13.4
MSF8303GR	60"	2/2	16	$\frac{1}{8}$	17.2
MSF8304GR	72 $\frac{7}{16}$ "	3/3	18	$\frac{1}{8}$	21.1
Mega Top, 34"d x 44 $\frac{1}{4}$ "h					
MSF8305GR	27 $\frac{1}{2}$ "	1/1	12	$\frac{1}{8}$	7.2
MSF3615GR	36 $\frac{5}{16}$ "	2/2	12	$\frac{1}{8}$	8.7
MSF8306GR	48 $\frac{1}{8}$ "	2/2	15	$\frac{1}{8}$	13.4
MSF8307GR	60 $\frac{1}{8}$ "	2/2	24	$\frac{1}{8}$	17.2
MSF8308GR	72 $\frac{7}{16}$ "	3/3	30	$\frac{1}{8}$	21.1

SANDWICH/SALAD PREP TABLES

- All stainless steel front, top & sides
- Natural refrigerant
- Holds 33° to 41°F
- Work surface 36" high
- Full length removable polyethylene cutting board
- Standard $\frac{1}{2}$ size 4" deep, clear polycarbonate insert pans

- Mega Top units: 34 $\frac{1}{8}$ "d x 40 $\frac{3}{4}$ "h, Standard units: 30 $\frac{3}{8}$ "d x 36 $\frac{3}{4}$ "h
- Includes 5" casters (height does not include 6 $\frac{1}{4}$ " for casters or 6" for optional legs)
- 5-year labor, 6-year parts, 7-year compressor warranty



	Width	Doors	Shelves	Pan Capacity	HP
Mega Top					
TSSU-48-18M-B-HC†	48 $\frac{3}{8}$ "	2	4	18	$\frac{1}{3}$
TSSU-60-24M-B-ST-HC	60 $\frac{3}{8}$ "	2	4	24	$\frac{1}{3}$
Standard					
TSSU-27-08-HC	27 $\frac{5}{8}$ "	1	2	8	$\frac{1}{8}$
TSSU-48-12-HC†	48 $\frac{3}{8}$ "	2	4	12	$\frac{1}{3}$
TSSU-60-16-HC	60 $\frac{3}{8}$ "	2	4	16	$\frac{1}{3}$

†CE



TSSU-48-12-HC

COMPACT REFRIGERATED COUNTERTOP PREP RAILS

- Stainless steel construction
- Completely self-contained
- Includes pan supports and $\frac{1}{2}$ size pans and covers
- 4" deep pans in front pan row and 6" deep pans in the back row
- Temperature range 33° to 41°F
- 1-year parts & labor warranty
- 25 $\frac{3}{4}$ "d x 9 $\frac{1}{2}$ "h



ACP8SQ

	Capacity	Width
ACP4SQ	(4) $\frac{1}{2}$ Size Pans	15"
ACP8SQ	(8) $\frac{1}{2}$ Size Pans	27 $\frac{1}{2}$ "

REFRIGERATION EQUIPMENT



PA43N

PIZZA PREP TABLES

- Heavy gauge stainless steel top, front and end panels
- Natural, environmentally-safe, high-efficiency R290 refrigerant
- Refrigerated section with half-door above condensing unit
- 2" non-CFC polyurethane foam insulation
- Spring loaded, self closing doors
- Heavy-duty, epoxy-coated steel shelves
- Full length nylon cutting board
- 38½" d x 39" h
- 5" casters
- Made in the USA

Continental
Refrigerator



	Width	1/3 Size Pan Capacity	Doors	HP
PA43N	43"	4/1*	1	1/3+
PA60N	60"	8/0	2	1/3+
PA68N	68"	9/0	2	1/3+
PA93N	93"	12/0	3	1/2

*Also holds 1 half-size pan

LAROSA

PIZZA PREP TABLES

- 16 gauge stainless steel reinforced top
- Rigid polyurethane foam insulation
- Self contained unit
- Condensate evaporator
- Rail system holds temperatures in even the harshest environment
- 6¼" removable swivel casters, front includes brakes
- Self closing door hinges
- Accommodates 1/3 size pans (not included)

**Cold-wall
construction
on rail**

	Width	Doors	Shelves	1/3 Pan Capacity
2562-PTB	62"	2	2	8
2586-PTB	86"	3	3	11
2510-PTB	112"	4	4	15
2067-PTB	67"	2	4	8
2093-PTB	93"	3	6	12
2096-PTB	96"	3	6	13



2586-PTB

Shown with optional cutting board and pans, sold separately

PIZZA PREP TABLES

- All stainless steel front, top and sides
- Corrosion-resistant GalFan coated steel back
- Polyurethane foam insulation
- Holds 33° to 41°F
- Full length removable cutting board

- Natural refrigerant
- 5" casters
- 5-year labor, 6-year parts, 7-year compressor warranty
- 33½" d x 38½" h
- 115V



	Width	Base	Shelves	Pan Capacity
TPP-AT-44-HC	44½"	1 Door	2	6
TPP-AT-67-HC	67½"	2 Doors	4	9
TPP-AT-67D-4-HC	67½"	4 Drawers	-	9
TPP-AT2-93-HC	93½"	3 Doors	6	12

True
REFRIGERATION




TPP-AT-67-HC



REPLACEMENT DOOR GASKETS

- Made of specially designed flexible vinyl – NSF sanctioned compounds
- Comes with welded corners
- Fast, easy installation
- Individually packaged to avoid distortion



	Size	OEM Name	OEM #'s
74-1238	22" x 26½"	Turbo Air	30223M0100, M722300100, TRBA30223M0100, TRBAM722300100
74-1058	25¾" x 54⅞"	True	174B, 810-803, 810803, E174B, E810-803, E810803
74-1059	23" x 26¼"	True	810-809, 810809, E810-809, E810809
74-1356	22½" x 25⅞"	True	932588, E932588

GASKET BOSS™ GASKET INSTALLATION TOOL

- Installs gaskets faster and eliminates kinks and misalignments
- Provides the perfect amount of pressure to securely fasten push-in/dart style gaskets
- Coated rollers protect door frames as well as gaskets



142-1666	13" long, for Door/Gasket Combined Widths up to 3½"
142-1667	17" long, for Door/Gasket Combined Widths from 3" to 5"



ABB48G

BACK BAR REFRIGERATORS

- Top is 1½" solid foamed stainless steel
- Bright stainless steel interior and black powder coated steel exterior front and sides
- Full-length cool air duct along the interior ceiling for consistent cooling across all doors
- Self-contained system uses environmentally friendly CFC free refrigerant - R290
- Interior LED lighting
- Electronic thermostat with digital LED display
- 3¼" casters (two lockable) are standard
- 24"d x 39½"h including casters
- 2-year parts & labor warranty and a 5-year compressor warranty

Solid	Width	Doors	Capacity 6-Packs
ABB48	49"	2	48
ABB60	61"	2	72
ABB72	73"	3	84
Glass			
ABB48G	49"	2	48
ABB60G	61"	2	72
ABB72G	73"	3	84




REFRIGERATION EQUIPMENT

BOTTLE COOLERS

- Wear resistant, textured baked black enamel finish with stainless steel countertop and slide lids
- Galvanized steel interior
- Adjustable, heavy-duty epoxy-coated steel wire storage bin dividers
- Heavy-duty bottle cap opener
- Automatic, energy saving, non-electric condensate evaporator

- High density, non-CFC polyurethane foamed-in-place insulation
- Environmentally-safe R-134a refrigerant
- 29 $\frac{1}{8}$ "d x 33 $\frac{1}{2}$ "h
- Made in the USA



CBC50

	Width	HP	Capacity 12 oz Bottles/Cans
CBC37	37"	$\frac{1}{5}$	12/18 $\frac{1}{2}$ cs
CBC50	50"	$\frac{1}{3}$	18/27 cs
CBC64	64"	$\frac{1}{3}$	25/37 cs
CBC95	95"	$\frac{1}{2}$	40/59 cs

Continental
Refrigerator

BACK BAR STORAGE COOLERS

- Textured baked black enamel finish exterior, stainless steel countertop
- Interior back and side panels with reinforced stainless steel floor
- Cylinder-keyed security lock in each door
- Automatic, hot gas condensate evaporator
- High density, non-CFC polyurethane foamed-in-place insulation

- LED interior lighting
- Natural, environmentally-safe, high-efficiency R290 refrigerant
- Extra large, balanced evaporator coil
- 29 $\frac{3}{16}$ "d x 34 $\frac{3}{4}$ "h
- Made in the USA



BB50N

	Width	Doors	Shelves	Keg Capacity^	HP
BB50N	50"	2	4	2	$\frac{1}{4}$
BB59N	59"	2	4	3	$\frac{1}{4}$
BB69N	69"	2	4	3	$\frac{1}{4}$
BB79N	79"	3	6	4	$\frac{1}{3}$
BB90N	90"	3	6	5	$\frac{1}{3}$

^Keg capacity based on straight wall kegs

True
REFRIGERATION

HORIZONTAL BOTTLE COOLERS

- High-capacity, factory-balanced refrigeration system maintains cabinet temperatures of 33° to 38°F
- Forced-air cooling
- Stainless steel countertop and lids with a long-lasting, heavy-duty galvanized steel interior
- Heavy-duty, 10 mil thick pure grade PVC-coated adjustable bin dividers included
- Environmentally friendly R290 hydro carbon refrigerant
- 5-year labor, 6-year parts, 7-year compressor warranty

	Width	Lid(s)/Bin Dividers	Capacity 12 oz Bottles/Cans
S/S Exterior			
TD-24-7-S-HC	24 $\frac{1}{2}$ "	1/2	4 $\frac{1}{2}$ /6 cs
TD-50-18-S-HC	49 $\frac{5}{8}$ "	2/3	16 $\frac{1}{2}$ /24 cs
TD-95-38-S-HC	95 $\frac{3}{8}$ "	3/7	37 $\frac{1}{2}$ /55 cs
Black Powder-Coated Exterior			
TD-36-12-HC	36 $\frac{5}{8}$ "	1/2	11/14 $\frac{1}{2}$ cs
TD-65-24-HC	64 $\frac{1}{2}$ "	2/4	22/32 $\frac{1}{2}$ cs
TD-80-30-HC	80 $\frac{1}{8}$ "	3/6	30/42 cs



TD-24-7-S-HC



TD-36-12-HC



BACK BAR COOLERS

- Exterior: Black, powder-coated cold rolled steel with stainless steel countertop
- Heavy-duty, black PVC-coated wire shelving
- Natural refrigerant
- LED interior lighting
- Foamed-in-place, high density polyurethane insulation
- UL Rated for outdoor use
- 5-year labor, 6-year parts, 7-year compressor warranty
- 27 $\frac{3}{4}$ "d x 37"h

Solid Doors	Width	Doors	Shelves	Capacity ½ Barrels/12 oz Can 6-Pks	HP
TBB-2-HC	58 $\frac{7}{8}$ "	2	4	2/88	¼
TBB-3-HC	69 $\frac{1}{8}$ "	2	4	3/112	¼
TBB-4-HC	90 $\frac{1}{8}$ "	3	6	4/152	¼
Glass Doors	Width	Doors	Shelves	Capacity ½ Barrels/12 oz Can 6-Pks	HP
TBB-2G-HC-LD	58 $\frac{7}{8}$ "	2	4	2/88	¼
TBB-3G-HC-LD	69 $\frac{1}{8}$ "	2	4	3/112	¼



TBB-2G-HC-LD
True
REFRIGERATION



BACK BAR REFRIGERATORS

- Black powder-coated cold rolled steel or stainless steel exterior with stainless steel countertop
- Glass door models come standard with TruLumina® 14-color LED interior lighting and solid door models come standard with white LED interior lighting
- Three interior access ports
- Field reversible doors
- Self-contained, environmentally friendly R290 hydrocarbon refrigerant system
- Electronic temperature control with exterior digital display
- Temperature range from 33° to 38°F
- UL Rated for outdoor use
- 5-year labor, 6-year parts, 7-year compressor warranty
- 24 $\frac{7}{8}$ "d x 34 $\frac{3}{4}$ "h



TBR48-RISZ1-L-B-GG-1

True
REFRIGERATION

TBR32-RISZ1-L-B-G-1	32"
TBR48-RISZ1-L-B-GG-1	48"
TBR60-RISZ1-L-B-11-1	60"
TBR72-RISZ1-L-B-SSS-1	72"
TBR92-RISZ1-L-S-GGGG-1	92"

Width	Doors	Shelves	Capacity 6-Packs Cans/12 oz Bottles	Exterior
32"	1 Glass, Swing	3	38/21	Black
48"	2 Glass, Swing	6	76/43	Black
60"	2 Glass, Sliding	6	101/63	Black
72"	3 Solid, Swing	9	125/78	Black
92"	4 Glass, Swing	12	182/108	Stainless Steel

DRAFT BEER REFRIGERATORS

- Black powder-coated cold rolled steel or stainless steel exterior with stainless steel countertop
- Glass door model comes standard with TruLumina® 14-color LED interior lighting and solid door models come standard with white LED interior lighting
- Three interior access ports
- Field reversible doors
- Environmentally friendly R290 hydrocarbon refrigerant system
- Electronic temperature control with exterior digital display
- 15" surface mounted drip tray trough
- Temperature range from 33° to 38°F
- 5-year labor, 6-year parts, 7-year compressor warranty
- 24 $\frac{7}{8}$ "d x 34 $\frac{3}{4}$ "h

True
REFRIGERATION

**UL Rated
for
outdoor
use**



	Width	Doors	Barrel Capacity: Home Brew/⅓/¼ Slim/⅓/½	Capacity 6-Packs 12 oz Bottles/Cans	Exterior	
TDR36-RISZ1-L-B-S-1	36"	1 Solid	4/3/2/1/1	-	Black	
TDR52-RISZ1-L-S-SG-1	52"	1 Solid, 1 Glass	4/4/2/1/1	21/38	Stainless Steel	TDR36-RISZ1-L-B-S-1
TDR84-RISZ1-L-B-SSS-1	84"	3 Solid	14/14/7/4/4	-	Black	
TDR108-RISZ1-L-S-SSSS-1	108"	4 Solid	20/19/10/5/5	-	Stainless Steel	

Continental
Refrigerator



LED interior lighting

KEG COOLERS

- Textured, baked black enamel finish exterior, stainless steel countertop, interior back and side panels with reinforced stainless steel floor
- Continuously cooled 3" diameter beer columns with lever faucets
- CO₂ pressure relief distributor and keg line tubing with clamps
- Easily removable stainless steel drip grate with convenient front mounted clean out drainage hose
- Cylinder-keyed security lock and magnetic snap-in gasket on each door
- Easily accessible and serviceable slide-out condensing unit
- Readily removable front, rear and side venting louvered grills
- Automatic, hot gas condensate evaporator
- Extra large, balanced evaporator coil
- 29³/₁₆"d x 34³/₄"h
- Made in the USA



	Width	Beer Columns	Keg Capacity [^]	HP
KC50N	50"	1	2	1/4
KC59N	59"	2	3	1/4
KC69N	69"	2	3	1/4
KC79N	79"	2	4	1/3
KC90N	90"	2	5	1/3

[^]Keg capacity based on straight wall kegs


DIRECT DRAW BEER DISPENSERS

- Exterior: Black, powder-coated cold-rolled steel with stainless steel countertop
- Stainless steel interior floor with 1/2" lip
- 3" dia stainless steel insulated beer columns
- Natural refrigerant
- Provides ice cold beer 33° to 38°F
- 1/4 hp
- 5-year labor, 6-year parts, 7-year compressor warranty
- 27¹/₈"d x 37"h



	Width	Doors	1/2 Barrel Keg Capacity
TDD-2-HC	58 ⁷ / ₈ "	2	2
TDD-3-HC	69 ¹ / ₈ "	2	3

True
REFRIGERATION



TDD-3-HC



FOOD SAFETY TIPS AROUND THE BAR

- Prepare garnishes and ingredients with smallwares used only for the bar area. Garnishing tools, small cutting boards, and handheld juice squeezers are all must-haves.
- Store garnishes and condiments between 40° to 80°F in a clean and covered container to prevent contamination. Look for garnish organizers, condiment keepers, and bar caddies to help stay organized and ensure you're stocked for rush periods.
- Prevent contamination from flies and insects. Items like liquor pourers, drink mix containers, covered pitchers, and keg plugs will help.
- Only fresh ice made from potable water should be used. Be sure you have an ice machine and storage bin with enough capacity for your busiest times. And remember, ice is food. Maintain sanitary ice handling during storage, transport and service with dedicated ice totes, ice scoops, and scoop holders.



Walk-in Coolers & Freezers

U.S. Cooler walk-ins are designed with the flexibility to meet your needs. They offer walk-in coolers and freezers, customized to your specifications using extruded polystyrene or foamed-in-place polyurethane.



Fastcooler Quick Ship

- Standard sized walk-in coolers and freezers
- Walk-ins are set up before shipment to assure quality control
- Full line of self-contained, remote, and pre-assembled refrigeration units
- Exceptional quality and customer service



Contact your local sales representative for details.



Amerikooler beats the competition when you need cool, fast! Crafted with only the highest quality materials, the best insulation, and a 50-Year Thermal Warranty backed by Dupont, Amerikooler is a brand you can rely on.



AK COMBO KOOL WALK-INS

The ultimate solution for your customized Cooler & Freezer needs. Designed to fit any shape or size with two or more compartments; side-by-side, nested, split configurations, sectioned spaces, or any other combination you can imagine. With the flexibility of having multiple access points and precision temperature control, storing and retrieving products a breeze. Elevate your cold storage capabilities with AK Combo Kool Walk-Ins.



CUSTOM KOOL WALK-INS

From standard 6' x 6' units to custom warehouses, Amerikooler provides top-of-the-line panels and partners with leading refrigeration equipment providers to offer the most sophisticated cooling solutions available.

Optional Features

- Digital LED thermometers/light switches
- High-security, heavy-duty deadbolt handle latch
- Heavy-duty top performer hinges
- Interior safety release latches & pull handles
- Windows on door or wall
- Kick plates, bumper rails, and much more!

**Stainless
steel
finish**





CONVENIENCE STORE COOLERS

When it comes to reach-in and glass door coolers and freezers for convenience stores, Amerikooler has you covered. Customization, finishes, placement, and performance. Personalize your cooling solution with a range of accessories and upgrades; sliding doors, view ports, strip/air curtains, remote control and monitoring units, and even a natural air purifier that keep products fresh longer.

Convenience Kool is a comprehensive solution catered to your needs, all backed by the highest quality and service of Amerikooler.

AK SERIES 3 QUICK-SHIP WALK-INS

Amerikooler beats the competition when you need cool, fast! Crafted with only the highest quality materials, deluxe AK-XPS Grey insulation, and backed by Dupont's 50-Year Thermal Warranty, these models are a quick, convenient, and cost-effective walk-in option for any business.

- Available models are indoor remote and/or self-contained coolers and freezers in pre-specified sizes
- Choice of single 30" or 36" centered clear door opening on any side
- Smooth aluminum interior floor rated at 700 lb per sq ft of uniformly distributed load
- Floor-less walk-ins are supplied with NSF vinyl screed
- Temperature regulating thermostat heater
- Digital LED thermometer with pilot light switch

Popular Walk-In Cooler and Freezer sizes available.
Standard Sizes:

- 6' x 6'; 6' x 8'; 6' x 10'; 6' x 12'
- 8' x 8'; 8' x 10'; 8' x 12'
- 10' x 10'; 10' x 12'





WALK-IN COOLERS & FREEZERS

Get a Complete Solution
Including a Top Quality
Walk-In & Refrigeration System



KL2 SERIES

- Indoor self-contained models with 26" wide doors



KL10 SERIES

- Indoor self-contained models in many standard sizes



KOLD LOCKER™

- Indoor & outdoor single compartment self-contained coolers & freezers




FAST-TRAK®

- Coolers, freezers & combos with unlimited lengths & matching refrigeration systems



FINELINE™

- Custom designed models in any size, shape or finish



POLAR-PRO® SWINGING DOOR

- For walk-in coolers/freezers and personnel doors
- A great alternative to strip doors in high traffic areas
- Stainless steel hardware, self closing, even-plane hinge design with lifetime rust proof guarantee
- Available in clear panels or choose from 5 colors with vision strips
- Standard model is .080" thick clear Polar grade PVC with "no-curl" reinforcement strip
- Universal, inside surface-mount hardware design

PP-C Fits Door Openings from 34" to 60" wide and up to 96" high



M-SERIES STRIP DOOR

- Polar reinforced PVC strips remain flexible to -20°F
- Reduces frost build-up and extends product shelf life
- Lowers refrigeration costs
- Mounting hardware and brackets are easy to install
- Easy to install and replace strips

M108-PR-4080

Fits Doorways
up to 36"w x 78"h



ICE MACHINES & STORAGE BINS

- Stainless steel exterior
- Slanted black plastic bin door
- Ice scoop included
- Air-cooled condenser
- Removable air filter
- Undercounter models have 88 lb ice storage capacity
- 3M water filter systems standard
- 2-year parts & labor warranty, 5-year compressor part warranty, with option to purchase up to 5-year parts & labor warranty

Hotel Ice Machine & Dispenser

- 160 lb ice storage capacity
- Single push-chute for easy ice dispensing



Produces half-dice cubes



YR280-AP-161



CYR400P



Produces full cubes

HD350-AP-161

Undercounter - 23½" w x 28½" d x 38½" h	Ice Production*
YR140-AP-161	142 lb
YR280-AP-161	283 lb
Modular - 30½" w x 24½" d x 21½" h	
YR450-AP-161	460 lb
YR800-AP-261	810 lb
Hotel Ice - 23" w x 29½" d x 70" h	
HD350-AP-161	350 lb
Ice Storage Bins	Ice Storage
CYR400P 30½" w x 32¾" d x 41¼" h	396 lb
CYR700P 48½" w x 32½" d x 41" h	700 lb

*Based on 70°F air and 50°F water temperature in a 24 hr period

RESOLUTE ICE CUBERS & BINS

- Stainless steel and ABS plastic construction
- Control panel adjusts ice thickness, cleaning cycle, ice-making phase, cleaning phase, and error codes
- Air-cooled system with removable air filter
- Gravity drain
- Uses R290 refrigerant

Undercounter - 27½" w x 26" d x 38½" h

ICB16080 160 lb Production*/80 lb Storage

ICB28080 280 lb Production*/80 lb Storage

Modular

ICH350 22" w, 350 lb Production*

ICH500 29.9" w, 500 lb Production*

Ice Bin

IB275 22" w, 275 lb Capacity

IB375 29.9" w, 375 lb Capacity

*Ice production based on 70°F air/50°F water in a 24-hour period.

eurolib



DIGITAL MODULAR ICE MAKERS

- Stainless steel construction
- Produces half dice ice cubes
- Stackable
- Air cooled
- Solid state digital controls



MIM360NH

	W x D x H	Ice Production*
MIM360NH	22" x 24.6" x 21"	361 lb
MIM370NH	30" x 24.6" x 21"	361 lb
MIM500NH	30" x 24.6" x 21"	513 lb
MIM650NH	30" x 24.6" x 21"	645 lb
MIM1000NH	30" x 24.6" x 26.7"	1005 lb

*Based on 70°F air and 50°F water temperature in a 24 hour period



SELF-CONTAINED ICE MAKER

- Stainless steel construction
- Produces half dice ice cubes
- Includes ice scoop
- Air-cooled
- Programmable, solid state digital electronic control system



MIM265H 24" w x 24" d x 39" h, 75 lb Ice Storage Capacity, 265 lb Ice Production*

*Based on 70°F air and 50°F water temperature in a 24 hour period





REPLACEMENT WATER FILTER CARTRIDGE

- Filters out dirt, rust and other particles
- 10-microns

76-1199 10" Replacement Cartridge for E-10 Prefilter



SOFT SERVE FREEZERS

- Perfect for soft serve ice cream, frozen yogurt, gelato or sorbet
- Microprocessor control provides access to system settings and additional functions
- Patented high efficiency heat exchanger allows fast freeze down with low energy consumption
- Allows automatic switching of operation modes based on preset schedules
- Maintains product temperature in both mix hopper and freezing cylinder below 40°F
- Automatically prevents product overflow after dispense
- Provides flexibility in dispense rate control
- Increases efficiency during cleaning by heating frozen product in cylinder

- Turn on freeze immediately to freeze down to serving viscosity when quick service is required after long idle period

6210-C



SPACEMAN
Forte

Countertop	W x D x H	Flavors	Servings per Hour
6210-C	11.2" x 25.6" x 29.7"	1	150
6236-C	17.9" x 26.8" x 35.8"	1	400
6235-C	20.9" x 25.6" x 37.6"	2 + Twist	450
Floor Model			
6378-C	20.9" x 27.7" d x 61.5"	2 + Twist	720

HYDROSIFT WATER FILTER ASSEMBLY KITS

- Bacteriostatic filters and granular activated carbon diminish limescale, reduce chlorine/chloramine, and eliminate bad taste and odor
- Keeps ice and beverage equipment operating efficiently
- Reduces maintenance costs
- 100°F maximum temperature on sediment cartridges
- 3/4" NPT water in and out connections
- 3.0 GPM max flow rate
- Single kit includes: single filter assembly with bracket, 1 cartridge filter, 1 male-to-male nipple fitting, male-to-female ball valve, reducing bushing, female tee fitting, pressure gauge and filter wrench



KR-HS1-KIT

KROWNE

KR-HS1-KIT Single Filter, 10,000 Gallon Capacity
KR-HS2-KIT Twin Filter, 15,000 Gallon Capacity
KR-HS3-KIT Triple Filter, 20,000 Gallon Capacity



ICE CREAM MAKER

- Stainless steel exterior with LCD display
- Makes ice cream, frozen yogurt or gelato in a convenient, removable batch bowl
- Built-in compressor means no pre-freezing required
- "Keep cool" feature holds product at the optimal temperature
- 120V, 420W
- 10 1/2" w x 12 1/4" d x 15 1/4" h
- 1-year limited warranty



WCIC25
2 1/2 qt Capacity

WARING
COMMERCIAL

Crathco

SOFT ICE CREAM DISPENSERS

- Delicious soft serve ice cream and frozen yogurt in a compact, countertop machine
- Produces up to 150 cones per hour
- Certified NSF-6 safe for milk
- 2-year parts, 1-year labor & 5-year compressor warranty



1208-000 K-Soft, 1.2 Gallon Total Capacity, 9.4" w x 22.8" d x 27.6" h
1208-002 Karma Gravity, 2.5 Gallon Total Capacity, 14.1" w x 20 1/2" d x 25 1/2" h



1208-002



1208-000